



Number 1 in North America

Superior Quality Decking

Balconies • Decks • Entryways • Front Porches • Patios
Walkways • Sunrooms • Roof Top Patios • Around pools & spas

Looks Wood & Feel Wood – Nothing Comparable in the Market



www.laveranda.me



Who said your favourite room had to be inside the house?



Unattractive concrete patios, balconies, porches, old decks and others alike are just as important as spaces inside your home. Sometimes a quick fix is all you need to reinvent a space. This is where La Veranda comes in.

Make your place outdoors feel like an added room to your home. Refresh and revive your outdoor escape with simple and modern La Veranda Deck Tiles. They can be installed on any solid, level surface outdoors and are complimented by an available transition piece to neatly finish any exposed edges of outer deck tiles.

The perfect product to give your smaller outdoor space that something extra to create your atmosphere. La Veranda Deck and Balcony Tiles were created and inspired by the appreciation of beautiful true wood products. Natural color variance, along with wood grain streaking and texture enhances the look of the tiles, which allows La Veranda to offer the most realistic, high quality wood replacement material on the market. La Veranda products offer the look you want, with the quality you can trust

Deck boards and all accessories are available in 3 rich colours.

 Cedar  Chestnut  Grey



Deck Boards



Bullnose



Fascia Cladding



L Trim




La Veranda
Home & Garden



Specification & Quality

- ◆ 100% Premium Polymer Material
- ◆ Superb natural wood tones and texture
- ◆ Mold and Mildew resistant
- ◆ No fading, cracking or warping
- ◆ Maintenance free
- ◆ Easy to install
- ◆ Harsh weather endurance
- ◆ ECO friendly and nontoxic during its life cycle
- ◆ Durable - No nutrients or resin - so no wood rotting fung
- ◆ 25 year limited warranty



Essential Elements

- ◆ Made from 100% premium polymer material, which will not split, warp, crack, splinter or fade
- ◆ Ultra low maintenance material that will never require staining, sanding, painting or scraping
- ◆ Contains no organic material, eliminating issues of mold, mildew, rot and insects
- ◆ Created to withstand the elements as an all season product, that can be left outdoor year round
- ◆ Interconnecting base securely attaches each tile to one another, while allowing for airflow and drainage through and under the tile
- ◆ Each tile covers approximately 1 square ft. of area Backed by a 25 year limited warranty



Product Performance

La Veranda tiles are unique because they are composed of 100% premium polymer material. A highly engineered product that contains no organic material.

Weatherproof

Strong and resilient to the elements. La Veranda tiles are virtually impervious to UV, fresh water and salt water, making it resistant to mold, mildew, rot and insects.

Color Stability

Aura tile slats unique formulation allows for UV stability meaning your tiles will maintain their beautiful color over time.

Durable & Light Weight

No splitting, cracking, splintering or warping. These tiles can be left out all year round and are super light to store and carry.

Environmentally Friendly

La Veranda tile material is recyclable. Our manufacturing facilities produce zero emissions and we re-use all our own scrap and water, producing virtually no waste.




La Veranda
Home & Garden



Decking Installation Instructions




STEP 01



To determine the number of tiles you will need, first measure the area to be covered. If measuring in feet, multiply by 12 to convert to inches, then divide by 11.8 to determine the number of tiles needed

STEP 04



Continue laying tiles and snapping them together using checkered or parallel patterns until desired surface is covered. For finished edges, use a chisel to remove exposed connectors

STEP 06



Enjoy.


For more information, please visit our website or call our toll-free number:

STEP 02





Clean the solid surface of all debris to ensure proper water drainage

STEP 03



Lay tiles starting at outside edge of surface. This ensures that cut tiles are the last row against the house, fence, pool, etc.

STEP 05



You may reach a point where an entire tile will not fit and may need to be cut. Simply measure area left (11.8 inches and under) and transcribe remaining area onto the tile. Cut the tile to the desired length. Any loose boards may be re-attached with 1/2" long, #8 screws (not included), installed through the small round holes on the underside of the tile. A circular saw is reco mended with a blade of 16 teeth or less. Make quick cuts. For installations around existing railing posts, simply cut tiles to post line, and notch mating tile around post area.



Transform your outdoor space with beautiful, low maintenance decking



+971 4 346-8075 | +971 50 565-8760

Ali Al-Hashemi Building - Showroom 1 & 2 , Sheikh Zayed Road
Exit 40 Al Quoz, Dubai - U.A.E

Web: www.laveranda.me Email: info@laveranda.me

